

Licensee: Ferrovial Agroman (Australia) Pty. Ltd.

Level 9, 65 Berry St, North Sydney NSW 2060.

Link to the EPA's public register: <https://apps.epa.nsw.gov.au/prpoeoapp/>

Table 1- Data 2015 to 2018

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B2	11/11/2015	9	6.8	No	-	Discharged at licensed point
2	B1	12/11/2015	6	7.1	No	-	Discharged at licensed point
2	B1	02/01/2016	8.9	8	No	10	Discharged at licensed point
2	B001	05/05/2016	-	7.3	No	5	Discharged at licensed point
2	B001	23/06/2016	57	7.4	No	33	Discharged at licensed point
2	B001	22/07/2016	42	7.4	No	8	Discharged at licensed point
2	B002	26/07/2016	54	8	No	8	Discharged at licensed point
2	B001	05/09/2016	6.1	6.78	No	9	Discharged at licensed point
2	B001	06/09/2016	20	6.68	No	9	Discharged at licensed point
2	B001	07/09/2016	12.8	7.38	No	5	Discharged at licensed point
2	B002	12/09/2016	0.1	6.97	No	5	Discharged at licensed point
2	B003	21/09/2016	3.4	6.74	No	5	Discharged at licensed point
2	B001	27/09/2016	34.5	8.21	No	10	Discharged at licensed point
2	B003	10/10/2016	-	7.5	No	5	Discharged at licensed point
2	B001	11/10/2016	-	7	No	12	Discharged at licensed point
2	B003	17/10/2016	-	7.57	No	5	Discharged at licensed point
2	B001	27/12/2016	31	7.92	No	10	Discharged at licensed point
2	B001	30/01/2017	31	7.92	No	13	Discharged at licensed point
2	B003	06/02/2017	6.9	7.31	No	7	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B005	06/02/2017	6.6	7.42	No	8	Discharged at licensed point
2	B005	10/02/2017	19	7.1	No	5	Discharged at licensed point
2	B003	10/02/2017	13	7.1	No	5	Discharged at licensed point
2	B004	10/02/2017	21	7.01	No	9	Discharged at licensed point
2	B001	13/02/2017	47	7.70	No	10	Discharged at licensed point
2	B005	15/02/2017	3.7	7.40	No	5	Discharged at licensed point
2	B004	21/02/2017	19	6.66	No	5	Discharged at licensed point
2	B001	21/02/2017	22	7.17	No	7	Discharged at licensed point
2	B004	6/03/2017	-	7.8	No	7	Discharged at licensed point
2	T2	6/03/2017	-	7.67	No	7	Discharged at licensed point
2	B005	17/03/2017	-	7.3	No	10	Discharged at licensed point
1	T1	23/03/2017	-	8.19	No	6	Discharged at licensed point
2	T2	23/03/2017	-	7.81	No	5	Discharged at licensed point
2	B001	23/03/2017	-	8.04	No	5	Discharged at licensed point
1	T2	23/03/2017	-	7.89	No	13	Discharged at licensed point
2	B003	23/03/2017	-	8.08	No	14	Discharged at licensed point
2	T2	24/03/2017	-	8.16	No	30	Discharged at licensed point
2	B006	24/03/2017	-	7.3	No	6	Discharged at licensed point
2	T2	24/03/2017	-	7.11	No	9	Discharged at licensed point
2	B004	29/03/2017	-	7.95	No	5	Discharged at licensed point
2	B001	29/03/2017	-	7.88	No	6	Discharged at licensed point
1	T1	29/03/2017	-	8.07	No	8	Discharged at licensed point
2	B004	03/04/2017	29.1	7.93	No	-	Discharged at licensed point
2	B003	03/04/2017	44	8.35	No	-	Discharged at licensed point
1	SW1	03/04/2017	73.3	8.5	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B005	03/04/2017	16	7.73	No	-	Discharged at licensed point
2	T1	03/04/2017	43.9	8.26	No	-	Discharged at licensed point
2	T1	03/04/2017	56.80	7.57	No	-	Discharged at licensed point
2	B1	03/04/2017	24.60	7.51	No	-	Discharged at licensed point
2	B005	03/04/2017	2.4	7.79	No	-	Discharged at licensed point
1	SW1	04/04/2017	41.6	8.5	No	-	Discharged at licensed point
2	T2	04/04/2017	32.1	7.91	No	-	Discharged at licensed point
2	B006	05/04/2017	29.9	7.81	No	-	Discharged at licensed point
2	T1	05/04/2017	6.2	8.01	No	-	Discharged at licensed point
1	T7	05/04/2017	21	7.63	No	-	Discharged at licensed point
2	B001	05/04/2017	15.2	8.35	No	-	Discharged at licensed point
2	T1	05/04/2017	6.7	8.14	No	-	Discharged at licensed point
1	T1	06/04/2017	9.5	7.81	No	-	Discharged at licensed point
1	T1	06/04/2017	73.6	7.86	No	-	Discharged at licensed point
2	B003	07/04/2017	24.80	7.96	No	-	Discharged at licensed point
2	B005	07/04/2017	10.90	8.36	No	-	Discharged at licensed point
2	S2T1	07/04/2016	64.6	8.06	No	-	Discharged at licensed point
1	T2	07/04/2016	45	7.68	No	-	Discharged at licensed point
2	B1	07/04/2016	24.90	7.78	No	-	Discharged at licensed point
1	T2	07/04/2016	32.7	8.18	No	-	Discharged at licensed point
1	T2	10/04/2017	52.	6.68	No	-	Discharged at licensed point
2	T1	10/04/2017	47.3	8.48	No	-	Discharged at licensed point
2	T2	10/04/2017	7.1	8.19	No	-	Discharged at licensed point
1	B003	10/04/2017	4.8	8.05	No	-	Discharged at licensed point
1	T2	11/04/2017	28.6	8.47	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B005	12/04/2017	6.90	7.41	No	-	Discharged at licensed point
2	B1	12/04/2017	51.6	8.13	No	-	Discharged at licensed point
2	B005	12/04/2017	7.60	8.08	No	7.00	Discharged at licensed point
2	B004	12/04/2017	18.6	7.89	No	<5	Discharged at licensed point
2	B1	12/04/2017	24	7.89	No	7.00	Discharged at licensed point
2	B1	13/04/2017	29.8	8.19	No	5	Discharged at licensed point
2	B1	18/04/2017	2.9	6.9	No	-	Discharged at licensed point
2	B006	18/04/2017	4.0	8.1	No	-	Discharged at licensed point
2	B005	19/06/2017	48.3	7.3	No	-	Discharged at licensed point
2	B003	19/04/2017	65.9	6.77	No	-	Discharged at licensed point
2	B1	19/04/2017	16.5	8.30	No	-	Discharged at licensed point
2	B004	20/04/2017	20.6	8.40	No	-	Discharged at licensed point
2	B006	26/04/2017	8.20	7.40	No	-	Discharged at licensed point
2	B003	26/04/2017	12.70	5.70	No	-	Discharged at licensed point
2	B001	26/04/2017	39.5	6.82	No	-	Discharged at licensed point
2	B005	28/04/2017	1.9	6.51	No	-	Discharged at licensed point
2	T1	28/04/2017	3.4	6.59	No	-	Discharged at licensed point
1	T4	05/05/2017	31.6	7.51	No	-	Discharged at licensed point
2	B005	05/04/2017	15.2	8.35	No	-	Discharged at licensed point
2	T1	05/04/2017	6.7	8.14	No	-	Discharged at licensed point
1	T2	06/04/2017	9.5	7.81	No	-	Discharged at licensed point
1	T2	06/04/2017	73.6	7.86	No	-	Discharged at licensed point
2	B003	07/04/2017	24.8	7.96	No	-	Discharged at licensed point
2	B005	07/04/2017	10.9	8.36	No	-	Discharged at licensed point
2	T1	07/04/2017	64.6	8.06	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	T2	07/04/2017	45	7.68	No	-	Discharged at licensed point
2	B001	07/04/2017	24.9	7.78	No	-	Discharged at licensed point
1	T4	07/04/2017	32.7	8.18	No	-	Discharged at licensed point
2	T1	10/04/2017	47.3	8.48	No	-	Discharged at licensed point
2	T2	10/04/2017	7.1	8.19	No	-	Discharged at licensed point
2	B003	10/04/2017	4.8	8.05	No	-	Discharged at licensed point
1	T2	11/04/2017	28.6	8.47	No	-	Discharged at licensed point
2	B001	12/04/2017	6.9	7.41	No	-	Discharged at licensed point
2	B005	12/04/2017	7.6	8.08	No	-	Discharged at licensed point
2	B005	12/04/2017	51.6	8.13	No	-	Discharged at licensed point
2	.B004	12/04/2017	18.6	7.89	No	-	Discharged at licensed point
2	B001	12/04/2017	24	7.89	No	-	Discharged at licensed point
2	B005	13/04/2017	29.8	8.19	No	-	Discharged at licensed point
2	T1	05/05/2017	23.2	7.56	No	-	Discharged at licensed point
2	T1	08/05/2017	17.2	7.24	No	-	Discharged at licensed point
2	T1	08/05/2017	28.8	7.22	No	-	Discharged at licensed point
2	B006	10/05/2017	22.1	6.73	No	-	Discharged at licensed point
2	B006	11/05/2017	42.8	7.24	No	-	Discharged at licensed point
1	T2	11/05/2017	17.7	6.87	No	-	Discharged at licensed point
1	T2	15/05/2017	20.4	7.40	No	-	Discharged at licensed point
2	B006	15/05/25017	18.9	7.21	No	-	Discharged at licensed point
2	B006	15/05/2017	22.3	6.94	N0	-	Discharged at licensed point
2	B003	15/05/2017	69.2	6.79	No	-	Discharged at licensed point
2	T1	16/05/2017	49.6	8.11	No	-	Discharged at licensed point
2	B003	16/05/2017	26.2	8.0	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B005	16/05/2017	32.7	7.22	No	-	Discharged at licensed point
2	T2	16/05/2017	12.5	8.20	No	-	Discharged at licensed point
1	Patanga	17/05/2017	27.1	6.57	No	-	Discharged at licensed point
2	B001	17/05/2017	66	7.9	No	-	Discharged at licensed point
1	T2	19/05/2017	66.9	7.01	No	-	Discharged at licensed point
1	T2	22/05/2017	32.6	7.63	No	-	Discharged at licensed point
1	T2	22/05/2017	39.2	7.04	No	-	Discharged at licensed point
2	B006	22/05/2017	20.70	7.32	No	-	Discharged at licensed point
1	T2	22/05/2017	12.40	7.59	No	-	Discharged at licensed point
2	B003	23/05/2017	34.30	6.70	No	-	Discharged at licensed point
1	T2	24/05/2017	59.60	8.25	No	-	Discharged at licensed point
1	T2	24/05/2017	24.0	7.79	No	-	Discharged at licensed point
1	T2	26/05/2017	34.90	8.45	No	-	Discharged at licensed point
2	B001	25/05/2017	28.20	7.39	No	-	Discharged at licensed point
2	T1	26/05/2017	30.50	7.55	No	-	Discharged at licensed point
2	B001	25/05/2017	33.90	7.44	No	-	Discharged at licensed point
1	T2	26/05/2017	30.10	6.79	No	-	Discharged at licensed point
1	T2	26/05/2017	17.10	7.79	No	-	Discharged at licensed point
1	T2	29/05/2017	16.80	6.93	No	-	Discharged at licensed point
2	T1	30/05/2017	15.0	7.68	No	-	Discharged at licensed point
1	T2	30/05/2017	21.20	7.56	No	-	Discharged at licensed point
1	T2	31/05/2017	14.50	8.13	No	-	Discharged at licensed point
2	T1	02/06/2017	17.1	7.83	No	-	Discharged at licensed point
2	B006	02/06/2017	30.70	7.53	No	-	Discharged at licensed point
2	T1	05/06/2017	55.40	8.21	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	T1	06/06/2017	21.40	8.03	No	-	Discharged at licensed point
1	T2	08/06/2017	25.70	7.61	No	-	Discharged at licensed point
2	B003	09/06/2017	15	7.63	No	-	Discharged at licensed point
1	T2	09/06/2017	20.01	7.99	No	-	Discharged at licensed point
2	B1	09/06/2017	56.0	7.57	No	-	Discharged at licensed point
2	B005	11/06/2017	45.60	8.29	No	-	Discharged at licensed point
2	B003	13/06/2017	33.0	7.83	No	-	Discharged at licensed point
1	T2	13/06/2017	39.0	7.92	No	-	Discharged at licensed point
1	T6	13/06/2017	38.8	7.59	No	-	Discharged at licensed point
1	T2	13/06/2017	24.60	7.38	No	-	Discharged at licensed point
2	B005	14/06/2017	37.6	7.57	No	-	Discharged at licensed point
2	B003	14/06/2017	49.4	7.81	No	-	Discharged at licensed point
2	B003	14/06/2017	54.5	8.12	No	-	Discharged at licensed point
2	T1	15/06/2017	70.6	8.48	No	-	Discharged at licensed point
2	B003	15/06/2017	71.0	6.95	No	-	Discharged at licensed point
2	B005	16/06/2017	75	7.87	No	-	Discharged at licensed point
2	B006	16/06/2017	33.8	7.56	No	-	Discharged at licensed point
1	T2	16/06/2017	21	7.76	No	-	Discharged at licensed point
2	T1	16/06/2017	21.3	8.14	No	-	Discharged at licensed point
2	T1	16/06/2017	53	6.74	No	-	Discharged at licensed point
2	B005	19/06/2017	34.5	7.01	No	-	Discharged at licensed point
2	B003	19/06/2017	49.3	7.19	No	-	Discharged at licensed point
1	T2	19/06/2017	37.4	8.44	No	-	Discharged at licensed point
2	T1	20/06/2017	10.3	7.68	No	-	Discharged at licensed point
2	B003	22/06/2017	24.2	6.9	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B004	26/06/2017	24.9	7.57	No	-	Discharged at licensed point
2	B1	26/06/2017	45.3	7.3	No	-	Discharged at licensed point
2	B004	28/06/2017	33.2	6.7	No	-	Discharged at licensed point
2	B003	29/06/2017	46	7	No	-	Discharged at licensed point
2	B004	12/07/2017	13.9	6.92	No	-	Discharged at licensed point
2	T1	13/07/2017	28.5	6.58	No	-	Discharged at licensed point
1	T2	18/07/2017	18.2	7.65	No	-	Discharged at licensed point
2	B001	19/07/2017	9.1	6.5	No	-	Discharged at licensed point
2	B004	24/07/2017	13.8	6.95	No	-	Discharged at licensed point
2	T1	24/07/2017	51.6	7.24	No	-	Discharged at licensed point
2	B004	28/07/2017	63.8	8.38	No	-	Discharged at licensed point
2	B004	28/07/2017	3.4	8.25	No	-	Discharged at licensed point
2	B004	28/07/2017	51.5	7.12	No	-	Discharged at licensed point
1	T2	31/07/2017	48.9	7.5	No	-	Discharged at licensed point
1	T2	2/08/2017	33.2	7.42	No	-	Discharged at licensed point
1	T2	2/08/2017	55.8	6.74	No	-	Discharged at licensed point
2	T1	4/08/2017	74.9	7.58	No	-	Discharged at licensed point
2	B004	4/08/2017	9.8	8	No	-	Discharged at licensed point
1	T2	4/08/2017	28.6	6.87	No	-	Discharged at licensed point
2	T1	7/08/2017	37.3	8.1	No	-	Discharged at licensed point
1	B008	7/08/2017	72.8	7.8	No	-	Discharged at licensed point
1	T2	7/08/2017	56.4	8.2	No	-	Discharged at licensed point
2	T1	8/08/2017	53	6.78	No	-	Discharged at licensed point
1	T2	9/08/2017	23.7	6.54	No	-	Discharged at licensed point
1	T2	10/08/2017	36.8	7.96	No	-	Discharged at licensed point



Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B003	14/08/2017	26.3	7.88	No	-	Discharged at licensed point
2	B004	14/08/2017	16.3	7.83	No	-	Discharged at licensed point
2	B1	16/08/2017	34.3	8.04	No	-	Discharged at licensed point
2	B003	18/08/2017	35.4	8.32	No	-	Discharged at licensed point
2	T1	21/08/2017	51	6.97	No	-	Discharged at licensed point
2	B003	24/08/2017	26.7	7.14	No	-	Discharged at licensed point
2	T1	14/09/2017	55.4	7.04	No	-	Discharged at licensed point
2	B004	25/09/2017	14	8.11	No	-	Discharged at licensed point
2	B004	28/09/2017	43.4	8.15	No	-	Discharged at licensed point
2	B001	29/09/2017	43.7	7.90	No	-	Discharged at licensed point
2	B003	03/10/2017	26.4	7.72	No	-	Discharged at licensed point
2	B001	13/10/2017	31.8	6.84	No	-	Discharged at licensed point
2	B003	20/10/2017	21.9	8.25	No	-	Discharged at licensed point
2	B003	21/10/2017	62.7	6.51	No	-	Discharged at licensed point
2	B003	25/10/2017	28.2	6.75	No	-	Discharged at licensed point
2	B001	27/10/2017	58.3	6.72	No	-	Discharged at licensed point
2	B001	30/10/2017	75	6.89	No	-	Discharged at licensed point
2	B003	1/11/2017	37.2	6.88	No	-	Discharged at licensed point
2	B001	7/11/2017	28.2	7.3	No	-	Discharged at licensed point
2	B2	8/11/2017	72.2	7.21	No	-	Discharged at licensed point
2	B001	11/27/2017	25.4	7.12	No	-	Discharged at licensed point
2	B001	12/6/2017	37.4	7.44	No	-	Discharged at licensed point
1	T2	12/7/2017	34	7.1	No	-	Discharged at licensed point
2	B001	12/8/2017	60.6	8	No	-	Discharged at licensed point
2	B003	11/01/2018	27	7.76	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B001	12/01/2018	30.7	6.54	No	-	Discharged at licensed point
2	B001	31/01/2018	33	7.82	No	-	Discharged at licensed point
2	B001	3/02/2018	31.6	8.39	No	-	Discharged at licensed point
2	B001	6/02/2018	15.3	7.61	No	-	Discharged at licensed point
2	B001	12/02/2018	26	8.36	No	-	Discharged at licensed point
2	T1	15/02/2018	12.2	7.79	No	-	Discharged at licensed point
2	T1	16/02/2018	58.6	7.86	No	-	Discharged at licensed point
2	T1	27/02/2018	26.5	8.12	No	-	Discharged at licensed point
2	T1	27/02/2018	26.4	8.22	No	-	Discharged at licensed point
2	B001	28/02/2018	36.3	7.8	No	-	Discharged at licensed point
2	B003	3/03/2018	15.3	8.2	No	-	Discharged at licensed point
2	B003	7/03/2018	37.5	8.1	No	-	Discharged at licensed point
2	B001	8/03/2018	24.1	7.9	No	-	Discharged at licensed point
2	B009	9/03/2018	17	6.6	No	-	Discharged at licensed point
2	B009	12/03/2018	27.8	7.1	No	-	Discharged at licensed point
2	B003	14/03/2018	27.3	6.5	No	-	Discharged at licensed point
2	B005	15/03/2018	25.1	8.4	No	-	Discharged at licensed point
2	B001	15/03/2018	58.3	7.6	No	-	Discharged at licensed point
2	B005	15/03/2018	37.5	7.1	No	-	Discharged at licensed point
2	B009	16/03/2018	26.3	8.4	No	-	Discharged at licensed point
2	B009	19/03/2018	60	7.5	No	-	Discharged at licensed point
2	B001	23/03/2018	49.3	8.1	No	-	Discharged at licensed point
2	B001	27/03/2018	29.4	8.4	No	-	Discharged at licensed point
2	B009	28/03/2018	31	7.4	No	-	Discharged at licensed point
2	B004	28/03/2018	24	7.6	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	T1	28/03/2018	65	7.5	No	-	Discharged at licensed point
2	B009	29/03/2018	15	7	No	-	Discharged at licensed point
2	T1	26/04/2018	35	7.5	No	-	Discharged at licensed point
2	B001	30/04/2018	73	8	No	-	Discharged at licensed point
2	B001	1/05/2018	64.8	8.2	No	-	Discharged at licensed point
2	T1	1/05/2018	65	7.6	No	-	Discharged at licensed point
2	T1	2/05/2018	35.5	7.2	No	-	Discharged at licensed point
2	T2	4/05/2018	70.5	6.9	No	-	Discharged at licensed point
2	T2	8/05/2018	11	7	No	-	Discharged at licensed point
2	T1	8/05/2018	27	7.5	No	-	Discharged at licensed point
2	B009	9/05/2018	25	7.24	No	-	Discharged at licensed point
2	T2	10/05/2018	43	7.5	No	-	Discharged at licensed point
2	T2	11/05/2018	29	7.3	No	-	Discharged at licensed point
2	T2	14/05/2018	69	8.5	No	-	Discharged at licensed point
2	T2	15/05/2018	40	7.3	No	-	Discharged at licensed point
2	B001	15/05/2018	34.6	6.75	No	-	Discharged at licensed point
2	B004	15/05/2018	65	8.4	No	-	Discharged at licensed point
2	T2	16/05/2018	35	8.4	No	-	Discharged at licensed point
2	B004	16/05/2018	16	6.7	No	-	Discharged at licensed point
2	T1	16/05/2018	30	7.6	No	-	Discharged at licensed point
2	T2	17/05/2018	18	7.4	No	-	Discharged at licensed point
2	B004	17/05/2018	20	7.4	No	-	Discharged at licensed point
2	T1	18/05/2018	5	7.9	No	-	Discharged at licensed point
2	B004	22/05/2018	3	7.2	No	-	Discharged at licensed point
2	B004	23/05/2018	44	7	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	T1	23/05/2018	2	7.3	No	-	Discharged at licensed point
2	T1	24/05/2018	37	7.5	No	-	Discharged at licensed point
2	B004	28/05/2018	0.1	6.78	No	-	Discharged at licensed point
2	T1	28/05/2018	4.1	7.07	No	-	Discharged at licensed point
2	B004	31/05/2018	34.1	7.14	No	-	Discharged at licensed point
2	B004	4/06/2018	4.3	7.53	No	-	Discharged at licensed point
2	B004	8/06/2018	10	7.75	No	-	Discharged at licensed point
2	B001	8/06/2018	61.7	7.3	No	-	Discharged at licensed point
2	T1	8/06/2018	52.6	8.5	No	-	Discharged at licensed point
2	T1	8/06/2018	51.4	8.1	No	-	Discharged at licensed point
2	B004	12/06/2018	40	7.7	No	-	Discharged at licensed point
2	B004	14/06/2018	45	7.1	No	-	Discharged at licensed point
2	T1	14/06/2018	46	7.6	No	-	Discharged at licensed point
2	T1	15/06/2018	59	8.2	No	-	Discharged at licensed point
2	B004	19/06/2018	0.01	8.5	No	-	Discharged at licensed point
2	B004	21/06/2018	37	8.5	No	-	Discharged at licensed point
2	B001	21/06/2018	43	8.3	No	-	Discharged at licensed point
2	T1	22/06/2018	70	8.2	No	-	Discharged at licensed point
2	B004	25/06/2018	59.4	7.9	No	-	Discharged at licensed point
2	T1	26/06/2018	60	8.2	No	-	Discharged at licensed point
2	B004	28/06/2018	57	7.9	No	-	Discharged at licensed point
2	T1	2/07/2018	71	7.7	No	-	Discharged at licensed point
2	B004	2/07/2018	71	7.5	No	-	Discharged at licensed point
2	B001	4/07/2018	35	7.2	No	-	Discharged at licensed point
2	B004	4/07/2018	74	8.3	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B004	6/07/2018	68	8.2	No	-	Discharged at licensed point
2	T1	10/07/2018	70	8.2	No	-	Discharged at licensed point
2	T1	11/07/2018	73	8	No	-	Discharged at licensed point
2	B004	11/07/2018	58	8.2	No	-	Discharged at licensed point
2	T1	13/07/2018	25	8.1	No	-	Discharged at licensed point
2	T1	14/07/2018	31	8	No	-	Discharged at licensed point
2	B001	16/07/2018	30	7.6	No	-	Discharged at licensed point
2	B004	16/07/2018	30	8.3	No	-	Discharged at licensed point
2	B004	17/07/2018	75	8.1	No	-	Discharged at licensed point
2	B004	19/07/2018	74	8.4	No	-	Discharged at licensed point
2	B004	21/07/2018	73	7.9	No	-	Discharged at licensed point
2	B004	24/07/2018	66	6.6	No	-	Discharged at licensed point
2	B001	27/07/2018	29	6.8	No	-	Discharged at licensed point
2	B004	30/07/2018	65	7.4	No	-	Discharged at licensed point
2	T2	31/07/2018	17	7.3	No	-	Discharged at licensed point
2	B001	6/08/2018	50	7.7	No	-	Discharged at licensed point
2	B004	8/08/2018	74	7.6	No	-	Discharged at licensed point
2	B004	13/08/2018	35	7.7	No	-	Discharged at licensed point
2	T1	15/08/2018	8	7	No	-	Discharged at licensed point
2	T1	16/08/2018	7	7.1	No	-	Discharged at licensed point
2	B004	20/08/2018	67	7.1	No	-	Discharged at licensed point
2	B004	21/08/2018	36	8.2	No	-	Discharged at licensed point
2	B011	21/08/2018	2	7.8	No	-	Discharged at licensed point
2	B011	22/08/2018	2	7.8	No	-	Discharged at licensed point
2	B011	23/08/2018	2	7.7	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B001	3/09/2018	45	8.1	No	-	Discharged at licensed point
2	B004	6/09/2018	72	8	No	-	Discharged at licensed point
2	B004	8/09/2018	75	7.5	No	-	Discharged at licensed point
2	B004	11/09/2018	50	8.4	No	-	Discharged at licensed point
2	B001	11/09/2018	29	6.9	No	-	Discharged at licensed point
2	B004	15/09/2018	75	8.2	No	-	Discharged at licensed point
2	B004	18/09/2018	75	8.5	No	-	Discharged at licensed point
2	T2	20/09/2018	6	7.4	No	-	Discharged at licensed point
2	B004	22/09/2018	63	8.5	No	-	Discharged at licensed point
2	B004	24/09/2018	51	8.3	No	-	Discharged at licensed point
2	T2	24/09/2018	15	7.5	No	-	Discharged at licensed point
2	B010	24/09/2018	25	7.1	No	-	Discharged at licensed point
2	B010	25/09/2018	15.7	6.7	No	-	Discharged at licensed point
2	B004	27/09/2018	74	7	No	-	Discharged at licensed point
2	T2	28/09/2018	6	7.8	No	-	Discharged at licensed point
2	B001	29/09/2018	21	7.2	No	-	Discharged at licensed point
2	B001	2/10/2018	6	8.3	No	-	Discharged at licensed point
2	B004	2/10/2018	14	7.4	No	-	Discharged at licensed point
2	B010	2/10/2018	8	8.2	No	-	Discharged at licensed point
2	B004	3/10/2018	18	7.5	No	-	Discharged at licensed point
2	B010	3/10/2018	50	8.3	No	-	Discharged at licensed point
2	B011	3/10/2018	6	8.4	No	-	Discharged at licensed point
2	B004	6/10/2018	56	7.4	No	-	Discharged at licensed point
2	T2	8/10/2018	7	6.6	No	-	Discharged at licensed point
2	B004	8/10/2018	69	6.9	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B004	9/10/2018	60	7.3	No	-	Discharged at licensed point
2	B004	10/10/2018	58	7.8	No	-	Discharged at licensed point
2	B004	11/10/2018	68	8.5	No	-	Discharged at licensed point
2	B010	11/10/2018	71	8.2	No	-	Discharged at licensed point
2	T2	12/10/2018	74	6.6	No	-	Discharged at licensed point
2	B010	12/10/2018	68	7.5	No	-	Discharged at licensed point
2	B004	12/10/2018	68	8.4	No	-	Discharged at licensed point
2	B010	13/10/2018	38	7.7	No	-	Discharged at licensed point
2	B004	15/10/2018	45	7.7	No	-	Discharged at licensed point
2	B010	15/10/2018	47	8	No	-	Discharged at licensed point
2	T2	15/10/2018	39	8.4	No	-	Discharged at licensed point
2	T2	16/10/2018	26	8.4	No	-	Discharged at licensed point
2	B004	16/10/2018	44	7.4	No	-	Discharged at licensed point
2	B010	16/10/2018	34	8.3	No	-	Discharged at licensed point
2	B001	16/10/2018	15	8.4	No	-	Discharged at licensed point
2	B004	18/10/2018	75	8.5	No	-	Discharged at licensed point
2	T2	20/10/2018	49	7.9	No	-	Discharged at licensed point
2	T2	22/10/2018	46	7.7	No	-	Discharged at licensed point
2	B004	23/10/2018	34	8.2	No	-	Discharged at licensed point
2	B011	23/10/2018	15	7.5	No	-	Discharged at licensed point
2	B004	25/10/2018	65	8.5	No	-	Discharged at licensed point
2	B004	2/11/2018	63	8.4	No	-	Discharged at licensed point
2	B004	6/11/2018	48	8.5	No	-	Discharged at licensed point
2	B004	12/11/2018	45	8.1	No	-	Discharged at licensed point
2	B001	13/11/2018	6	8.2	No	-	Discharged at licensed point

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	T2	14/11/2018	12	7.1	No	-	Discharged at licensed point
2	T2	21/11/2018	60	7.5	No	-	Discharged at licensed point
2	B001	27/11/2018	63	7.3	No	-	Discharged at licensed point
2	B007	30/11/2018	42	7.2	No	-	Discharged at licensed point
2	B007	30/11/2018	33	8.3	No	-	Discharged at licensed point
2	B007	30/11/2018	39	8.4	No	-	Discharged at licensed point
2	B002	1/12/2018	60	7.8	No	-	Discharged at licensed point
2	B004	1/12/2018	56	7.8	No	-	Discharged at licensed point
2	B002	5/12/2018	65	6.7	No	-	Discharged at licensed point
2	B007	5/12/2018	10	7.2	No	-	Discharged at licensed point
2	B007	17/12/2018	28	8.5	No	-	Discharged at licensed point
2	B007	17/12/2018	23	8.3	No	-	Discharged at licensed point
2	B007	17/12/2018	60	7.9	No	-	Discharged at licensed point
2	B007	18/12/2018	20	8	No	-	Discharged at licensed point
2	B014	19/12/2018	70	7.4	No	-	Discharged at licensed point
2	B007	19/12/2018	69	8.5	No	-	Discharged at licensed point
2	B007	20/12/2018	27	8	No	-	Discharged at licensed point
2	B007	21/12/2018	75	7.2	No	-	Discharged at licensed point
2	B007	21/12/2018	56	7.7	No	-	Discharged at licensed point
2	B007	24/12/2018	23	8.1	No	-	Discharged at licensed point



Table 2- Data 2019 - 2020

Date published: July 2019

Stage	Basin ID	Date of Discharge	*NTU	pH (unit)	Oil and Grease (Visibility)	Total Suspended Solids (mg/L)	Comment
2	B007	2/01/2019	22	7.6	No	-	Discharged at licensed point
2	B014	2/01/2019	72	8.3	No	-	Discharged at licensed point
2	B007	2/01/2019	35	8.2	No	-	Discharged at licensed point
2	B001	3/01/2019	63	7.7	No	-	Discharged at licensed point
2	B013	7/01/2019	69	7.3	No	-	Discharged at licensed point
2	B013	8/01/2019	17	7	No	-	Discharged at licensed point
2	B003	8/01/2019	21	7.4	No	-	Discharged at licensed point
2	B013	8/01/2019	62	8.3	No	-	Discharged at licensed point
2	B014	8/01/2019	62	7.1	No	-	Discharged at licensed point
2	B013	9/01/2019	75	6.9	No	-	Discharged at licensed point
2	B001	19/01/2019	52	6.9	No	-	Discharged at licensed point
2	B013	30/01/2019	30	7.3	No	-	Discharged at licensed point
2	B013	3/02/2019	42	8.2	No	-	Discharged at licensed point
2	B001	5/02/2019	54	8.3	No	-	Discharged at licensed point
2	B005	8/02/2019	37	8.2	No	-	Discharged at licensed point
2	T1	9/02/2019	error	error	No	-	Discharged at licensed point
2	B005	10/02/2019	70	8	No	-	Discharged at licensed point
2	B005	10/02/2019	68	8.2	No	-	Discharged at licensed point
2	T1	12/02/2019	64	6.9	No	-	Discharged at licensed point
2	B013	12/02/2019	25	7.5	No	-	Discharged at licensed point
2	B003	12/02/2019	32	6.9	No	-	Discharged at licensed point
2	T1	12/02/2019	error	error	No	-	Discharged at licensed point

2	B001	13/02/2019	32	8.2	No	-	Discharged at licensed point
2	B013	13/02/2019	40	7.5	No	-	Discharged at licensed point
2	B07	14/02/2019	38	6.6	No	-	Discharged at licensed point
2	T1	15/02/2019	error	error	No	-	Discharged at licensed point
2	T1	18/02/2019	error	error	No	-	Discharged at licensed point
2	B02	23/02/2019	29	6.8	No	-	Discharged at licensed point
2	B02	25/02/2019	41	7.8	No	-	Discharged at licensed point
2	B013	26/02/2019	33	8.3	No	-	Discharged at licensed point
2	B013	27/02/2019	75	8.3	No	-	Discharged at licensed point
2	B02	5/03/2019	45	7.5	No	-	Discharged at licensed point
2	T1	5/03/2019	-	7.2	No	<5	Discharged at licensed point
2	T1	6/03/2019	-	7.1	No	5	Discharged at licensed point
2	B003a	21/03/2019	20	6.9	No	-	Discharged at licensed point
2	B002	13/03/2019	65	7.8	No	-	Discharged at licensed point
2	T1	13/03/2019	-	7.4	No	<5	Discharged at licensed point
2	T1	14/03/2019	-	7.3	No	<5	Discharged at licensed point
2	T1	15/03/2019	-	7.5	No	7	Discharged at licensed point
2	T1	18/03/2019	-	7.5	No	4	Discharged at licensed point
2	T1	19/03/2019	-	7.8	No	17	Discharged at licensed point
2	T1	20/03/2019	-	7.6	No	20	Discharged at licensed point
2	B014	20/03/2019	21	7.9	No	-	Discharged at licensed point
2	T1	21/03/2019		7.5	No	<5	Discharged at licensed point
2	B014	21/03/2019	64	7.9	No	-	Discharged at licensed point
2	B002	23/03/2019	58	8.1	No	-	Discharged at licensed point
2	T1	25/03/2019	-	7.3	No	9	Discharged at licensed point
2	T1	26/03/2019	-	7.5	No	10	Discharged at licensed point
2	T1	27/03/2019	-	7.1	No	3	Discharged at licensed point

2	B014	2/04/2019	48	7.9	No	-	Discharged at licensed point
2	B002	6/04/2019	69	6.8	No	-	Discharged at licensed point
2	B002	12/04/2019	74	7.6	No	-	Discharged at licensed point
2	B002	2/05/2019	64	8.4	No	-	Discharged at licensed point
2	B002	8/05/2019	50	7.5	No	-	Discharged at licensed point
2	T1	1/04/2019	-	7	No	14	Discharged at licensed point
2	T1	2/04/2019	-	7.9	No	8	Discharged at licensed point
2	T1	4/04/2019	-	7.9	No	14	Discharged at licensed point
2	T1	5/04/2019	-	8.3	No	7	Discharged at licensed point
2	T1	10/04/2019	-	7.6	No	5	Discharged at licensed point
2	T1	12/04/2019	-	7.4	No	7	Discharged at licensed point
2	T1	15/04/2019	-	7.6	No	5	Discharged at licensed point
2	T1	18/04/2019	-	7.7	No	1	Discharged at licensed point
2	T1	23/04/2019	-	7.8	No	<5	Discharged at licensed point
2	T1	1/05/2019	-	7.4	No	0	Discharged at licensed point
2	B002	2/05/2019	65	8.4	No	-	Discharged at licensed point
2	T1	3/05/2019	-	7.3	No	<5	Discharged at licensed point
2	T1	7/05/2019	-	7.1	No	<5	Discharged at licensed point
2	B002	8/05/2019	50	7.5	No	-	Discharged at licensed point
2	T1	10/05/2019	-	7.7	No	5	Discharged at licensed point
2	T1	13/05/2019	-	7.8	No	7	Discharged at licensed point
2	T1	17/05/2019	-	7.7	No	1	Discharged at licensed point
2	T1	21/05/2019	-	7.6	No	<5	Discharged at licensed point
2	B002	22/05/2019	72	7.5	No	-	Discharged at licensed point
2	T1	28/05/2019	-	7.7	No	<5	Discharged at licensed point
2	T1	31/05/2019	-	7.8	No	11	Discharged at licensed point
2	B002	1/06/2019	51	7	No	-	Discharged at licensed point

2	B016	6/06/2019	50	7.5	No	-	Discharged at licensed point
2	T1	7/06/2019	-	7.5	No	1	Discharged at licensed point
2	B002	18/06/2019	65	7.4	No	-	Discharged at licensed point
2	B0016	18/06/2019	69	8.2	No	-	Discharged at licensed point
2	B013	19/06/2019	50	7.1	No	-	Discharged at licensed point
2	B0016	19/06/2019	57	8.2	No	-	Discharged at licensed point
2	B013	19/06/2019	66	7.7	No	-	Discharged at licensed point
2	B003A	20/06/2019	75	7.5	No	-	Discharged at licensed point
2	B013	21/06/2019	69	8.1	No	-	Discharged at licensed point
2	B0016	22/06/2019	73	8.5	No	-	Discharged at licensed point
2	B002	25/06/2019	52	8.0	No	-	Discharged at licensed point
2	B013	25/06/2019	74	8.0	No	-	Discharged at licensed point
2	T1	26/06/2019	-	7.7	No	20	Discharged at licensed point
2	B002	27/06/2019	54	6.8	No	-	Discharged at licensed point
2	B003	27/06/2019	69	8.3	No	-	Discharged at licensed point
2	B017	27/06/2019	72	6.5	No	-	Discharged at licensed point
2	B020	28/06/2019	40	6.8	No	-	Discharged at licensed point
2	B017	28/06/2019	40	7.4	No	-	Discharged at licensed point
2	B019	28/06/2019	60	7.5	No	-	Discharged at licensed point
2	T1	28/06/2019	-	8.1	No	40	Discharged at licensed point
2	B020	29/06/2019	25	7.6	No	-	Discharged at licensed point
2	B017	29/06/2019	35	7.9	No	-	Discharged at licensed point
2	B020	1/07/2019	49	7.0	No	-	Discharged at licensed point
2	B002	1/07/2019	38	7.5	No	-	Discharged at licensed point
2	T1	1/07/2019	-	7.3	No	24	Discharged at licensed point
2	B017	2/07/2019	54	7.2	No	-	Discharged at licensed point
2	T1	3/07/2019	-	7.3	No	<10	Discharged at licensed point

2	T1	5/07/2019	-	7.3	No	<10	Discharged at licensed point
2	B003A	8/07/2019	34	6.74	No	-	Discharged at licensed point
2	B016	8/07/2019	58	8.44	No	-	Discharged at licensed point
2	B020	9/07/2019	27	8.22	No	-	Discharged at licensed point
2	T1	9/07/2019	-	7.7	No	7	Discharged at licensed point
2	T1	11/07/2019	-	7.3	No	48	Discharged at licensed point
2	B003A	11/07/2019	46	7.07	No	-	Discharged at licensed point
2	B016	12/07/2019	50	7.87	No	-	Discharged at licensed point
2	B002	16/07/2019	70	7.3	No	-	Discharged at licensed point
2	T1	16/07/2019	-	7.6	No	<5	Discharged at licensed point
2	T1	19/7/2019	-	7.4	No	0	Discharged at licensed point
2	B002	22/07/2019	43	7.6	No	-	Discharged at licensed point
2	T1	14/08/2019	-	7.3	No	<5	Discharged at licensed point
2	B016	28/08/2019	45	7.1	No	-	Discharged at licensed point
2	T1	29/09/2019	-	8.3	No	0	Discharged at licensed point
2	T1	30/09/2019	-	8	No	30	Discharged at licensed point
2	B002	31/09/2019	60	7.3	No	-	Discharged at licensed point
2	T1	2/09/2019	-	8	No	35	Discharged at licensed point
2	T1	3/09/2019	-	7.8	No	22	Discharged at licensed point
2	B016	3/09/2019	65	7.5	No	-	Discharged at licensed point
2	T1	4/09/2019	-	8.2	No	9	Discharged at licensed point
2	B016	4/09/2019	34	7.7	No	-	Discharged at licensed point
2	T1	5/09/2019	-	8.2	No	20	Discharged at licensed point
2	T1	6/09/2019	-	8	No	22	Discharged at licensed point
2	T1	18/09/2019	-	7.8	No	11	Discharged at licensed point
2	T1	19/09/2019	-	8.1	No	41	Discharged at licensed point
2	T1	20/09/2019	-	7.8	No	10	Discharged at licensed point

2	B016	20/09/2019	50	7.1	No	-	Discharged at licensed point
2	B002	25/09/2019	68	7.5	No	-	Discharged at licensed point
2	B016	26/09/2019	50	7.3	No	-	Discharged at licensed point
2	B002	3/10/2019	60	8.1	No	-	Discharged at licensed point
2	T1	9/10/2019	-	8.4	No	17	Discharged at licensed point
2	T1	10/10/2019	-	7.5	No	5	Discharged at licensed point
2	B002	14/10/2019	41	7.6	No	-	Discharged at licensed point
2	T1	15/10/2019	-	7.8	No	9	Discharged at licensed point
2	T1	16/10/2019	-	7.7	No	5	Discharged at licensed point
2	B016	17/10/2019	64	7	No	-	Discharged at licensed point
2	T1	17/10/2019	-	7.6	No	4	Discharged at licensed point
2	T1	18/10/2019	-	7.4	No	5	Discharged at licensed point
2	T1	21/10/2019	-	7.7	No	<5	Discharged at licensed point
2	T1	1/11/2019	-	8.3	No	<5	Discharged at licensed point
2	T1	20/11/2019	-	7.8	No	<5	Discharged at licensed point
2	T1	25/11/2019	-	6.8	No	<5	Discharged at licensed point
2	T1	27/11/2019	-	7.6	No	<5	Discharged at licensed point
2	T1	29/11/2019	-	7.6	No	<5	Discharged at licensed point
2	T1	30/11/2019	-	7.6	No	<5	Discharged at licensed point
2	T1	27/12/2019	-	7	No	15	Discharged at licensed point
2	T1	16/01/2020	-	7.3	No	0	Discharged at licensed point
2	T1	17/01/2020	-	7.4	No	0	Discharged at licensed point
2	T1	22/01/2020	-	7.5	No	<5	Discharged at licensed point
2	T1	29/01/2020	-	7.9	No	<5	Discharged at licensed point
2	T1	3/02/2020	-	8.1	No	<5	Discharged at licensed point
2	B002	10/02/2020	48	8.1	No	-	Discharged at licensed point
2	B016	11/02/2020	10	7.5	No	-	Discharged at licensed point

2	T1	13/02/2020	-	8	No	10	Discharged at licensed point
2	B002	17/02/2020	16	8.1	No	-	Discharged at licensed point

Table 3. Licence condition limits

Pollutant	TSS	NTU ( <i>Through EPL TSS v NTU correlation</i> )	pH	Oil and Grease (Visibility)
<b>Concentration Limit</b>	50	81	6.5 – 8.5	Not visible

mg/L = milligrams per litre  N/A = Not applicable NV = Not visible ND = No Discharge DNS = Did Not Sample	TSS = Total Suspended Solids (mg/L) Error = operator reading error, triggering further training and review of procedures
--	---